

1PW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Berstis et al.

Patent No.: US 6,856,581 B1

Serial No.: 09/703,344

Filing Date: 10/31/2000

**For: Batteryless, Oscillatorless, Binary
Time Cell Usable as an Horological
Device with Associated Programming
Methods and Devices**



§ To: Certificate of Corrections Branch

§
§
§
§
§

Attorney Docket No.: AUS9-1999-0268-US1

Certificate of Mailing
Under 37 C.F.R. § 1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class mail in an envelope addressed to:
Certificate of Corrections Branch
Office of Patent Publications
PO Box 1450
Alexandria, VA 22313-1450
on March 29, 2005.

By: 
Joseph R. Burwell, Reg. No 44,468


TRANSMITTAL DOCUMENT

Transmitted herewith are the following:

- ☒ Certificate of Correction Request under 37 C.F.R. § 1.322;
- ☒ Certificate of Correction Forms PTO/SB/44 (9 pages);
- ☒ A self-addressed, stamped postcard to be returned to sender.

DATE: March 29, 2005

Respectfully submitted,


Joseph R. Burwell
Reg. No. 44,468
ATTORNEY FOR APPLICANT

Law Office of Joseph R. Burwell
P.O. Box 28022
Austin, Texas 78755
Voice: 866-728-3688 (866-PATENT8)
Fax: 866-728-3680 (866-PATENT0)
Email: joe@burwell.biz

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


In re application of: Berstis et al.

Patent No.: US 6,856,581 B1

Serial No.: 09/703,344

Filing Date: 10/31/2000

**For: Batteryless, Oscillatorless, Binary
Time Cell Usable as an Horological Device
with Associated Programming Methods
and Devices**



§ To: Certificate of Corrections Branch

§

§

§

§

§

§

Attorney Docket No.: AUS9-1999-0268-US1

Certificate of Mailing
Under 37 C.F.R. § 1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class mail in an envelope addressed to:

Certificate of Corrections Branch
Office of Patent Publications
PO Box 1450
Alexandria, VA 22313-1450
on March 29, 2005.

By: _____

Joseph R. Burwell, Reg. No 44,468

**CERTIFICATE OF CORRECTION REQUEST
UNDER 37 C.F.R. § 1.322**

A certificate of correction is hereby requested in response to the issuance of U.S. Patent Number US 6,856,581 B1, issued on 02/15/2005. No additional fees are believed to be necessary for this request; if, however, any fees are necessary, please charge IBM Corporation Deposit Account No. 09-0447 to cover the cost of the fees.

There are three major errors in the above-noted patent: the abstract, the paragraph that contains the cross-reference to the related patent applications, and the entire set of claims. These errors are the result of a mistake by the USPTO.

The present patent application (09/703,344) is related to multiple patent applications; one of the related patent applications has a similar serial number (09/703,334). The present (09/703,344) patent application and the related (09/703,334) patent application have a common specification but differ in the cross-reference paragraph, in the abstract, and in the claims. While Applicant prosecuted both patent applications, Applicant submitted amendments in each application. It appears that the USPTO failed to enter an amendment for the present (09/703,344) patent application; instead, the USPTO appears to have entered an amendment for the related (09/703,334) patent application into both 09/703,334 and 09/703,344.

The attached Forms PTO/SB/44 (9 pages) requests correction of the following errors in the above-noted patent in order to correct the cross-reference paragraph, the abstract, and the claims:

Delete column 1, lines 9-19, and insert therefor--

The present application is related to the following applications: Application Serial Number 09/703,335, filed 10/31/2000, titled "Batteryless, Oscillatorless, Analog Time Cell Usable as an Horological Device with Associated Programming Methods and Devices"; Application Serial Number 09/703,340, filed 10/31/2000, titled "Sensing Methods and Devices for a Batteryless, Oscillatorless, Binary Time Cell Usable as an Horological Device"; and Application Serial Number 09/703,334, filed 10/31/2000, titled "Sensing Methods and Devices for a Batteryless, Oscillatorless, Analog Time Cell Usable as an Horological Device".--

Delete the abstract and insert therefor--

A simple electronic horological device, termed a time cell, is presented with associated methods, systems, and computer program products. A time cell has an insulated, charge storage element that receives an electrostatic charge through its insulating medium, i.e. it is programmed. Over time, the charge storage element then loses the electrostatic charge through its insulating medium. Given the reduction of the electric potential of the programmed charge storage element at a substantially known discharge rate, and by observing the electric potential of the programmed charge storage element at a given point in time, an elapsed time period can be determined. Thus, the time cell is able to measure an elapsed time period without a continuous power source. One type of time cell is a binary time cell that may have a form similar to a non-volatile memory cell. At a given point in time after the binary time cell has been programmed, a read operation allows a binary determination as to whether or not a particular time period has elapsed by observing two possible states of the time cell: the time cell has retained enough charge such that the time cell appears to be a programmed time cell; or the time cell has been discharged during the elapsed time period such that the time cell appears to be a non-programmed time cell. A time cell can be designed and/or programmed to select the particular time period to be measured.--

Delete the entire set of claims and insert therefor--

1. An horological device comprising:
a time cell, wherein the time cell has a substantially discharged state before a programming operation and has a controlled discharge state after the programming operation, and wherein the time cell transitions after the programming operation from the controlled discharge state to the substantially discharged state within a predetermined time period after the programming operation; and
a conductive lead connected to the time cell to allow reading a state of the time cell.
2. The horological device of claim 1 wherein a length of the predetermined time period varies with an initial condition of the time cell after the programming operation.
3. The horological device of claim 1 further comprising:
an array of time cells.
4. The horological device of claim 3 wherein at least one time cell in the array of time cells has a predetermined time period that differs from a predetermined time period of another time cell in the array of time cells.
5. The horological device of claim 3 wherein at least two time cells in the array of time cells have substantially identical predetermined time periods.
6. The horological device of claim 3 further comprising:
a time cell interface unit for controlling the array of time cells by initializing one or more time cells in the array of time cells.
7. The horological device of claim 3 further comprising:
a programming request processing unit for processing a programming request to set one or more time cells within the array of time cells.

8. A method for using an horological device, the method comprising:
programming a time cell, wherein the time cell has a substantially discharged state before a programming operation and has a controlled discharge state after the programming operation;
and
discharging the time cell, wherein the time cell transitions after the programming operation from the controlled discharge state to the substantially discharged state within a predetermined time period after the programming operation.
9. The method of claim 8 wherein a length of the predetermined time period varies with an initial condition of the time cell after the programming operation.
10. The method of claim 8 further comprising:
programming at least one time cell in an array of time cells.
11. The method of claim 10 further comprising:
controlling the array of time cells through a time cell interface unit by initializing one or more time cells in the array of time cells.
12. The method of claim 10 further comprising:
processing a programming request to set one or more time cells within the array of time cells.
13. A computer program product on a computer readable medium for use in a data processing system for using an horological device, the computer program product comprising:
instructions for receiving a programming request to initialize the horological device; and
instructions for programming a time cell, wherein the time cell has a substantially discharged state before a programming operation and has a controlled discharge state after the programming operation, and wherein the memory cell transitions after the programming operation from the controlled discharge state to the substantially discharged state within a predetermined time period after the programming operation.

14. The computer program product of claim 13 wherein a length of the predetermined time period varies with an initial condition of the time cell after the programming operation.

15. The computer program product of claim 13 further comprising:
instructions for programming at least one time cell in an array of time cells.

16. The computer program product of claim 15 further comprising:
instructions for controlling the array of time cells through a time cell interface unit by initializing or reading one or more time cells in the array of time cells.

17. The computer program product of claim 15 further comprising:
instructions for processing a programming request to set one or more time cells within the array of time cells.

18. An horological device comprising:
a first mode of operation in which a memory cell has a stable memory state before a programming operation;
a second mode of operation in which the memory cell is programmed to transition from the stable memory state to a non-stable memory state;
a third mode of operation in which the memory cell has a non-stable memory state after the second mode of operation;
a fourth mode of operation in which the memory cell transitions from the non-stable memory state to the stable memory state within a predetermined time period; and
a fifth mode of operation in which the memory cell has a stable memory state after the predetermined time period.

19. The horological device of claim 18 wherein a length of the predetermined time period varies with an initial condition of the memory cell after the second mode of operation.

20. An horological device comprising:

maintaining means for maintaining a non-time-measuring state in the horological device without inputting energy into the horological device;

changing means for changing from the non-time-measuring state to a time-measuring state by receiving and storing an electrostatic charge in a charge storage element within the horological device, wherein the charge storage element comprises an internal medium for storing an electrostatic charge and an insulating medium for insulating the internal medium that substantially surrounds the internal medium; and

transitioning means for transitioning from the time-measuring state to the non-time-measuring state, without inputting energy into the horological device, by discharging the stored electrostatic charge in the charge storage element to a predetermined level of electrical potential within a predetermined time period after changing to the time-measuring state.

21. A method for using an horological device, the method comprising:
- maintaining a non-time-measuring state in the horological device without inputting energy into the horological device;
 - changing from the non-time-measuring state to a time-measuring state by receiving and storing an electrostatic charge in a charge storage element within the horological device, wherein the charge storage element comprises an internal medium for storing an electrostatic charge and an insulating medium for insulating the internal medium that substantially surrounds the internal medium;
 - transitioning from the time-measuring state to the non-time-measuring state, without inputting energy into the horological device, by discharging the stored electrostatic charge in the charge storage element to a predetermined level of electrical potential within a predetermined time period after changing to the time-measuring state; and
 - detecting a current state of the charge storage element to determine an elapsed time.
22. An horological device comprising:
- an internal medium for storing an electrostatic charge;
 - an insulating medium for insulating the internal medium, the internal medium and the insulating medium forming a charge storage element,
 - wherein the insulating medium substantially surrounds the internal medium;
 - wherein the insulating medium has physical properties that allow a charging process for charging the internal medium with an electrostatic charge through the insulating medium;
 - wherein the insulating medium has physical properties that allow a discharge process for discharging a stored electrostatic charge from the internal medium through the insulating medium;
 - wherein the insulating medium has one or more physical properties that affect a rate of discharge in the discharge process; and
 - wherein at least one physical property of the insulating medium has been selected so that the discharge process discharges a stored electrostatic charge at a predetermined discharge rate.

23. The horological device of claim 22 wherein the predetermined discharge rate is non-linear with respect to time.
24. The horological device of claim 22 wherein the discharge process is Fowler-Nordheim tunneling.
25. The horological device of claim 22 wherein the charging process is channel hot electron injection.
26. The horological device of claim 22 further comprising:
a charge injector for injecting charge through the insulating medium into the internal medium.
27. The horological device of claim 26 further comprising:
a programming unit for programming the charge storage element by operating the charge injector.
28. The horological device of claim 27 further comprising:
a request processing unit for processing requests to program the charge storage element.
29. The horological device of claim 27 further comprising:
a status generating unit for generating status from programming the charge storage element.
30. The horological device of claim 22 wherein the charge storage element is a floating gate in a floating gate field effect transistor.

31. A method for using an horological device, the method comprising:
programming a charge storage element by storing an electrostatic charge within the charge storage element, wherein the charge storage element comprises an internal medium for storing an electrostatic charge and an insulating medium for insulating the internal medium, wherein the insulating medium substantially surrounds the internal medium; wherein the insulating medium has physical properties that allow a charging process for charging the internal medium with an electrostatic charge through the insulating medium; wherein the insulating medium has physical properties that allow a discharge process for discharging a stored electrostatic charge from the internal medium through the insulating medium; wherein the insulating medium has one or more physical properties that affect a rate of discharge in the discharge process; and wherein at least one physical property of the insulating medium has been selected so that the discharge process discharges a stored electrostatic charge at a predetermined rate;

and

discharging the stored electrostatic charge from the charge storage element.

32. The method of claim 31 further comprising:
programming the charge storage element by injecting charge through the insulating medium into the internal medium.

33. The method of claim 31 further comprising:
processing requests to program the charge storage element.


34. The method of claim 31 further comprising:
generating status after attempting to program the charge storage element.

35. The method of claim 31 wherein the charge storage element is a floating gate in a floating gate field effect transistor.
36. An article of manufacture comprising:
a binary time cell; and
a conductive lead for allowing a state of the binary time cell to be modified or read.
37. The article of manufacture of claim 36 wherein the binary time cell has a substantially discharged state before a programming operation and has a controlled discharge state after the programming operation, and wherein the binary time cell transitions after the programming operation from the controlled discharge state to the substantially discharged state within a predetermined time period after the programming operation.
38. The article of manufacture of claim 36 wherein the article of manufacture is a smart card.
39. The article of manufacture of claim 36 further comprising:
coupling means for coupling the article of manufacture to a reading device or programming device.
40. The article of manufacture of claim 36 further comprising:
time determining means for determining whether or not a predetermined time period has elapsed since the binary time cell was programmed.--

For any other outstanding matters or issues, the Office is urged to call or fax the below-listed telephone numbers to expedite processing.

DATE: March 29, 2005

Respectfully submitted,



Joseph R. Burwell
Reg. No. 44,468
ATTORNEY FOR APPLICANT

Law Office of Joseph R. Burwell
P.O. Box 28022
Austin, Texas 78755
Voice: 866-728-3688 (866-PATENT8)
Fax: 866-728-3680 (866-PATENT0)
Email: joe@burwell.biz

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,856,581 B1
DATED : 02/15/2005
INVENTOR(S) : Berstis et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete column 1, lines 9-19, and insert therefor--

The present application is related to the following applications: Application Serial Number 09/703,335, filed 10/31/2000, titled "Batteryless, Oscillatorless, Analog Time Cell Usable as an Horological Device with Associated Programming Methods and Devices"; Application Serial Number 09/703,340, filed 10/31/2000, titled "Sensing Methods and Devices for a Batteryless, Oscillatorless, Binary Time Cell Usable as an Horological Device"; and Application Serial Number 09/703,334, filed 10/31/2000, titled "Sensing Methods and Devices for a Batteryless, Oscillatorless, Analog Time Cell Usable as an Horological Device".--

Delete the abstract and insert therefor--

A simple electronic horological device, termed a time cell, is presented with associated methods, systems, and computer program products. A time cell has an insulated, charge storage element that receives an electrostatic charge through its insulating medium, i.e. it is programmed. Over time, the charge storage element then loses the electrostatic charge through its insulating medium. Given the reduction of the electric potential of the programmed charge storage element at a substantially known discharge rate, and by observing the electric potential of the programmed charge storage element at a given point in time, an elapsed time period can be determined. Thus, the time cell is able to measure an elapsed time period without a continuous power source. One type of time cell is a binary time cell that may have a form similar to a non-volatile memory cell. At a given point in time after the binary time cell has been programmed, a read operation allows a binary determination as to whether or not a particular time period has elapsed by observing two possible states of the time cell: the time cell has retained enough charge such that the time cell appears to be a programmed time cell; or the time cell has been discharged during the elapsed time period such that the time cell appears to be a non-programmed time cell. A time cell can be designed and/or programmed to select the particular time period to be measured.--

MAILING ADDRESS OF SENDER:

IP Law Dept. - 4054
IBM Corporation
11400 Burnet Road
Austin, TX 78758

PATENT NO.

6,856,581 B1

No. of additional copies

⇒ 8

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,856,581 B1

DATED : 02/15/2005

INVENTOR(S) : Berstis et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete claims 1-7 and insert therefor--

1. An horological device comprising:
a time cell, wherein the time cell has a substantially discharged state before a programming operation and has a controlled discharge state after the programming operation, and wherein the time cell transitions after the programming operation from the controlled discharge state to the substantially discharged state within a predetermined time period after the programming operation; and
a conductive lead connected to the time cell to allow reading a state of the time cell.
2. The horological device of claim 1 wherein a length of the predetermined time period varies with an initial condition of the time cell after the programming operation.
3. The horological device of claim 1 further comprising:
an array of time cells.
4. The horological device of claim 3 wherein at least one time cell in the array of time cells has a predetermined time period that differs from a predetermined time period of another time cell in the array of time cells.
5. The horological device of claim 3 wherein at least two time cells in the array of time cells have substantially identical predetermined time periods.
6. The horological device of claim 3 further comprising:
a time cell interface unit for controlling the array of time cells by initializing one or more time cells in the array of time cells.
7. The horological device of claim 3 further comprising:
a programming request processing unit for processing a programming request to set one or more time cells within the array of time cells.--

MAILING ADDRESS OF SENDER:

PATENT NO.

6,856,581 B1

IP Law Dept. - 4054
IBM Corporation
11400 Burnet Road
Austin, TX 78758

No. of additional copies

 8

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,856,581 B1

DATED : 02/15/2005

INVENTOR(S) : Berstis et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete claims 8-12 and insert therefor--

8. A method for using an horological device, the method comprising:
programming a time cell, wherein the time cell has a substantially discharged state before a programming operation and has a controlled discharge state after the programming operation; and
discharging the time cell, wherein the time cell transitions after the programming operation from the controlled discharge state to the substantially discharged state within a predetermined time period after the programming operation.
9. The method of claim 8 wherein a length of the predetermined time period varies with an initial condition of the time cell after the programming operation.
10. The method of claim 8 further comprising:
programming at least one time cell in an array of time cells.
11. The method of claim 10 further comprising:
controlling the array of time cells through a time cell interface unit by initializing one or more time cells in the array of time cells.
12. The method of claim 10 further comprising:
processing a programming request to set one or more time cells within the array of time cells.--

MAILING ADDRESS OF SENDER:

PATENT NO.

6,856,581 B1

IP Law Dept. - 4054
IBM Corporation
11400 Burnet Road
Austin, TX 78758

No. of additional copies

 8

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,856,581 B1

DATED : 02/15/2005

INVENTOR(S) : Berstis et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete claims 13-17 and insert therefor--

13. A computer program product on a computer readable medium for use in a data processing system for using an horological device, the computer program product comprising:
instructions for receiving a programming request to initialize the horological device; and
instructions for programming a time cell, wherein the time cell has a substantially discharged state before a programming operation and has a controlled discharge state after the programming operation, and wherein the memory cell transitions after the programming operation from the controlled discharge state to the substantially discharged state within a predetermined time period after the programming operation.
14. The computer program product of claim 13 wherein a length of the predetermined time period varies with an initial condition of the time cell after the programming operation.
15. The computer program product of claim 13 further comprising:
instructions for programming at least one time cell in an array of time cells.
16. The computer program product of claim 15 further comprising:
instructions for controlling the array of time cells through a time cell interface unit by initializing or reading one or more time cells in the array of time cells.
17. The computer program product of claim 15 further comprising:
instructions for processing a programming request to set one or more time cells within the array of time cells.--

MAILING ADDRESS OF SENDER:

IP Law Dept. - 4054
IBM Corporation
11400 Burnet Road
Austin, TX 78758

PATENT NO.

6,856,581 B1

No. of additional copies

⇒ 8

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,856,581 B1

DATED : 02/15/2005

INVENTOR(S) : Berstis et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete claims 18-20 and insert therefor--

18. An horological device comprising:
a first mode of operation in which a memory cell has a stable memory state before a programming operation;
a second mode of operation in which the memory cell is programmed to transition from the stable memory state to a non-stable memory state;
a third mode of operation in which the memory cell has a non-stable memory state after the second mode of operation;
a fourth mode of operation in which the memory cell transitions from the non-stable memory state to the stable memory state within a predetermined time period; and
a fifth mode of operation in which the memory cell has a stable memory state after the predetermined time period.
19. The horological device of claim 18 wherein a length of the predetermined time period varies with an initial condition of the memory cell after the second mode of operation.
20. An horological device comprising:
maintaining means for maintaining a non-time-measuring state in the horological device without inputting energy into the horological device;
changing means for changing from the non-time-measuring state to a time-measuring state by receiving and storing an electrostatic charge in a charge storage element within the horological device, wherein the charge storage element comprises an internal medium for storing an electrostatic charge and an insulating medium for insulating the internal medium that substantially surrounds the internal medium; and
transitioning means for transitioning from the time-measuring state to the non-time-measuring state, without inputting energy into the horological device, by discharging the stored electrostatic charge in the charge storage element to a predetermined level of electrical potential within a predetermined time period after changing to the time-measuring state.--

MAILING ADDRESS OF SENDER:

IP Law Dept. - 4054
IBM Corporation
11400 Burnet Road
Austin, TX 78758

PATENT NO. 6,856,581 B1

No. of additional copies

→ 8

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,856,581 B1

DATED : 02/15/2005

INVENTOR(S) : Berstis et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete claims 21-22 and insert therefor--

21. A method for using an horological device, the method comprising:
maintaining a non-time-measuring state in the horological device without inputting energy into the horological device;
changing from the non-time-measuring state to a time-measuring state by receiving and storing an electrostatic charge in a charge storage element within the horological device, wherein the charge storage element comprises an internal medium for storing an electrostatic charge and an insulating medium for insulating the internal medium that substantially surrounds the internal medium;
transitioning from the time-measuring state to the non-time-measuring state, without inputting energy into the horological device, by discharging the stored electrostatic charge in the charge storage element to a predetermined level of electrical potential within a predetermined time period after changing to the time-measuring state; and
detecting a current state of the charge storage element to determine an elapsed time.

22. An horological device comprising:
an internal medium for storing an electrostatic charge;
an insulating medium for insulating the internal medium, the internal medium and the insulating medium forming a charge storage element,
wherein the insulating medium substantially surrounds the internal medium;
wherein the insulating medium has physical properties that allow a charging process for charging the internal medium with an electrostatic charge through the insulating medium;
wherein the insulating medium has physical properties that allow a discharge process for discharging a stored electrostatic charge from the internal medium through the insulating medium;
wherein the insulating medium has one or more physical properties that affect a rate of discharge in the discharge process; and
wherein at least one physical property of the insulating medium has been selected so that the discharge process discharges a stored electrostatic charge at a predetermined discharge rate.--

MAILING ADDRESS OF SENDER:

IP Law Dept. - 4054
IBM Corporation
11400 Burnet Road
Austin, TX 78758

PATENT NO.

6,856,581 B1

No. of additional copies

➡ 8

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,856,581 B1
DATED : 02/15/2005
INVENTOR(S) : Berstis et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete claims 23-30 and insert therefor--

23. The horological device of claim 22 wherein the predetermined discharge rate is non-linear with respect to time.
24. The horological device of claim 22 wherein the discharge process is Fowler-Nordheim tunneling.
25. The horological device of claim 22 wherein the charging process is channel hot electron injection.
26. The horological device of claim 22 further comprising:
a charge injector for injecting charge through the insulating medium into the internal medium.
27. The horological device of claim 26 further comprising:
a programming unit for programming the charge storage element by operating the charge injector.
28. The horological device of claim 27 further comprising:
a request processing unit for processing requests to program the charge storage element.
29. The horological device of claim 27 further comprising:
a status generating unit for generating status from programming the charge storage element.
30. The horological device of claim 22 wherein the charge storage element is a floating gate in a floating gate field effect transistor.--

MAILING ADDRESS OF SENDER:

IP Law Dept. - 4054
IBM Corporation
11400 Burnet Road
Austin, TX 78758

PATENT NO.

6,856,581 B1

No. of additional copies

⇒ 8

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,856,581 B1
DATED : 02/15/2005
INVENTOR(S) : Berstis et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete claims 31-38 and insert therefor--

31. A method for using an horological device, the method comprising:
programming a charge storage element by storing an electrostatic charge within the charge storage element, wherein the charge storage element comprises an internal medium for storing an electrostatic charge and an insulating medium for insulating the internal medium,
wherein the insulating medium substantially surrounds the internal medium;
wherein the insulating medium has physical properties that allow a charging process for charging the internal medium with an electrostatic charge through the insulating medium;
wherein the insulating medium has physical properties that allow a discharge process for discharging a stored electrostatic charge from the internal medium through the insulating medium;
wherein the insulating medium has one or more physical properties that affect a rate of discharge in the discharge process; and
wherein at least one physical property of the insulating medium has been selected so that the discharge process discharges a stored electrostatic charge at a predetermined rate; and
discharging the stored electrostatic charge from the charge storage element.
32. The method of claim 31 further comprising:
programming the charge storage element by injecting charge through the insulating medium into the internal medium.
33. The method of claim 31 further comprising:
processing requests to program the charge storage element.
34. The method of claim 31 further comprising:
generating status after attempting to program the charge storage element.
35. The method of claim 31 wherein the charge storage element is a floating gate in a floating gate field effect transistor.--

MAILING ADDRESS OF SENDER:

IP Law Dept. - 4054
IBM Corporation
11400 Burnet Road
Austin, TX 78758

PATENT NO. 6,856,581 B1

No. of additional copies

→ 8

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,856,581 B1
DATED : 02/15/2005
INVENTOR(S) : Berstis et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete claims 36-40 and insert therefor--

36. An article of manufacture comprising:
a binary time cell; and
a conductive lead for allowing a state of the binary time cell to be modified or read.
37. The article of manufacture of claim 36 wherein the binary time cell has a substantially discharged state before a programming operation and has a controlled discharge state after the programming operation, and wherein the binary time cell transitions after the programming operation from the controlled discharge state to the substantially discharged state within a predetermined time period after the programming operation.
38. The article of manufacture of claim 36 wherein the article of manufacture is a smart card.
39. The article of manufacture of claim 36 further comprising:
coupling means for coupling the article of manufacture to a reading device or programming device.
40. The article of manufacture of claim 36 further comprising:
time determining means for determining whether or not a predetermined time period has elapsed since the binary time cell was programmed.--

MAILING ADDRESS OF SENDER:

IP Law Dept. - 4054
IBM Corporation
11400 Burnet Road
Austin, TX 78758

PATENT NO. 6,856,581 B1

No. of additional copies

→ 8

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.